

Amarr Carriage Court CC4000

Steel Overlay Carriage House Garage Doors



www.amarr.com






Distinctly defined. The Amarr Carriage Court collection adds increased curb appeal to your home with 18 highly defined carriage house garage door designs. Built with durable composite overlay trim and insulated steel-backed sections, these garage doors provide energy efficiency, noise reduction and innovative design to your home.

LAURELBAY (LB)*





PINETOP (PT)





CLOSED ARCH (LB105)



CLEAR ARCH (LB114)

SEE BED



CLOSED SQUARE (PT104)



CLEAR ARCH (PT114)

CLOSED ARCH (PT105)





3 LITE SQUARE (PT106)



6 LITE SQUARE (PT112)



4 LITE SQUARE (PT107)



8 LITE SQUARE (PT113)

8 LITE ARCH (PT109)





CLOSED SQUARE (LB104)



CLEAR SQUARE (LB115)



31 ITE ARCH (LB110)



6 LITE SQUARE (LB112) 6 LITE ARCH (LB108)




SELL BEEN

4 LITE ARCH (LB111)



8 LITE ARCH (LB109)

OVERLAY TRIM



CONSTRUCTION

Four-Layer: Overlay + Steel + Insulation + Steel

• 2" thick door with polystyrene insulation and steel interior

Arcadia design in Sandtone/White with Maple Creek decorative handles and Clavos

• Built with 1-3/8" steel section and 5/8" composite overlay trim



- 5/8" thick composite overlay trim of reclaimed wood fiber and thermoplastic polymer
- · Coped edge design
- Sustainable, green building material
- Resists rot, decay, and fungal growth
- Won't flake, blister, peel, pit or corrode

BRADBERRY (BB)




CLOSED SQUARE (BR104)




CLOSED SQUARE (BB104)



CLEAR SQUARE (BB115) CLEAR ARCH (BB114)



3 LITE SQUARE (BB106) 3 LITE ARCH (BB110)



6 LITE SQUARE (BB112) 6 LITE ARCH (BB108)



8 LITE ARCH (BB109)

KENSINGTON (KT)



CLOSED SQUARE (KT104)



CLOSED SQUARE (KT104)



CLOSED ARCH (KT105)



CLEAR SQUARE (KT115)





31 ITE ARCH (KT110)



6 LITE SQUARE (KT112)



4 LITE SQUARE (KT107)



8 LITE SQUARE (KT113)



4 LITE ARCH (KT111)

6 LITE ARCH (KT108)

SEABROOK (SB)



CLOSED SQUARE (SB104)



CLOSED SQUARE (SB104)



CLEAR SQUARE (SB115)



3 LITE SQUARE (SB106)



6 LITE SQUARE (SB112)



4 LITE SQUARE (SB107)



8 LITE SQUARE (SB113)





CLEAR ARCH (SB114)



31 ITE ARCH (SB110)



6 LITE ARCH (SB108)



4 LITE ARCH (SB111)



ROSEMONT (RM)



CLOSED SQUARE (RM104)



CLOSED SQUARE (RM104)









31 ITE ARCH (RM110)



6 LITE SQUARE (RM112) 6 LITE ARCH (RM108)



4 LITE ARCH (RM111)





WINDOWS

8 LITE SQUARE (BB113)



- Large rectangular or arched window designs in 24" top sections
- 5/8" thick decorative window grilles with coped edges
- · Available in double-strength, obscure or insulated glass

$C\ O\ L\ O\ R\ S \qquad \text{Actual paint colors may vary from samples shown}.$





ALMOND / WHITE (A1)





Door, window, and overlay can be painted using 100% acrylic exterior latex paint with a Light Reflective Value (LRV) of 8 or higher. Contact paint manufacturer for LRV ratings.

ASHLEY (AL)*



CLOSED SQUARE (AL 10/1



CHARLTON (CT)*





FAIRFIELD (FF)





CLOSED SQUARE (MT104)



MIDDLETON (MT)

GREENBRIAR [GB]*



CLOSED SQUARE (GB104)



DARBY (DB)



CLOSED SQUARE (DB104)



NEWBERRY (NB)



CLOSED SQUARE (NB104)



TANGLEWOOD (TW)



CLOSED SQUARE (TW104)





ARCADIA (AR)†



RAVENWOOD (RW)+



BROOKLAND (BL)†




MAGNOLIA (MG)+



*Available in 6' width (no window options). [†]Closed Square only.

DECORATIVE HARDWARE









8' 9' & 10' WIDE





15'4" 15'8" 14' & 18' WIDE



^{*}Available in Ashley, Charlton, Greenbriar and Laurelbay (no window options).





10' TALL



DOOR CONFIGURATIONS

			DESIGNS AVAILABLE WITH WINDOWS					DESIGNS NOT AVAILABLE WITH WINDOWS					
			BRADBERRY, KENSINGTON, LAURELBAY, PINETOP, ROSEMONT [†] & SEABROOK					ARCADIA, ASHLEY, BROOKLAND, CHARLTON, DARBY, FAIRFIELD, GREENBRIER, MAGNOLIA, MIDDLETON, NEWBERRY, RAVENWOOD & TANGLEWOOD‡					
		SECTION HEIGHTS (IN INCHES))	SECTION HEIGHTS (IN INCHES)							
	DOOR HEIGHT	INCHES	# 0F SECTIONS	TOP SECTION	INTER SECTION	INTER SECTION	INTER SECTION	BOTTOM SECTION	TOP SECTION	INTER SECTION	INTER SECTION	INTER SECTION	BOTTOM SECTION
	6'6"	78	4	24	18	18		18	18	18	18		24
	6'9"	81	4	24	18	21		18	18	21	18		24
	7'	84	4	24	18	24		18	18	24	18		24
	7'3"	87	4	24	21	21		21	21	21	21		24
	7'6"	90	4	24	24	18		24	24	18	24		24
	7'9"	93	4	24	24	21		24	24	21	24		24
	8'	96	4	24	24	24		24	24	24	24		24
	8'3"*	99	5	24	18	18	18	21	21	18	18	18	24
	8'6"*	102	5	24	18	21	21	18	21	18	21	18	24
	8'9"*	105	5	24	21	18	18	24	24	21	18	18	24
	9'*	108	5	24	24	18	18	24	24	24	18	18	24
	9'3"*	111	5	24	21	21	21	24	24	21	24	18	24
	9'6"*	114	5	24	24	21	21	24	24	24	24	18	24
	9'9"*	117	5	24	24	21	24	24	24	24	24	21	24
	10'*	120	5	24	24	24	24	24	24	24	24	24	24

‡Not available in 6'3" and 7'3" door heights

SPECIFICATIONS

PANEL DESIGNS	CARRIAGE COURT CC4000			
Carriage House	18 Designs			
INSULATION ¹	Polystyrene			
R-VALUE ²	6.48			
ENERGY EFFICIENCY	Superior			
QUIET OPERATION	Extra Quiet			
DOOR THICKNESS	2"			
WINDOW GLASS OPTIONS				
DSB Glass	•			
Obscure Glass	•			
Insulated Glass	•			
WIND LOAD ³ AVAILABLE	•			
PAINT FINISH WARRANTY ⁴	Lifetime			
WORKMANSHIP/HARDWARE WARRANTY ⁴	5 Years			
WINDOW/OVERLAY DISCOLORATION4	10 Years			
OVERLAY DELAMINATION 4	5 Years			

¹ Insulation has passed self-ignition, flamespread and smoke developed index fire testing.

PAINT FINISH

LIMITED WARRANTY WINDOW/OVERLAY DISCOLORATION

LIMITED WARRANTY WORKMANSHIP & HARDWARE

LIMITED WARRANTY

OVERLAY DELAMINATION

LIMITED WARRANTY

YOUR LOCAL AMARR DEALER:

ENTREMATIC

Entrematic

165 Carriage Court Winston-Salem, NC 27105 800.503.DOOR www.amarr.com





Door specifications and technical data subject to change without notice.

Sectional door products from Entrematic may be the subject of one or more U.S. and/or foreign, issued and/or pending, design and/or utility patents.

Entrematic and Amarr as words and logos are trademarks owned by Entrematic Group AB or other companies within the Entrematic group.

©Entrematic Group AB 2017. All rights reserved. Printed in USA Form #6460317/20M/GVS

^{*}Height not available in widths greater than 16' Not available in 8'3", 8'9", 9'3" and 9'9" door heights

² Calculated door section R-value is in accordance with DASMA TDS-163.

make sure your garage door meets local building codes.

visit amarr.com or contact your local Amarr dealer.